1	DAW DERM™ PROTECTION SYSTEMS	1.0	Cool Liner	01-02
		1.1A	DAWFlo™ Ensemble (Sheath & Sock)	02
		1.1B	DAWFlo Sheath	01
		1.1C	DAWFlo Sock	01
		1.1D	DAWFlo Knee Disarticulation	01
		1.1E	DAWFlo AK V-Band Garter Ensemble	01
		1.1F	DAWFlo How to Measure | How to Order	01
		1.2	DAW Suction Socket Sheath	01
		1.3	EZ-IN™ | DAW Slipper™	01
		1.4A	DAW Edema Reducers | DAW'NER™	01-05
		1.4B	DAWNer	01
2	HIP SYSTEMS	2A	Adult Hip Joints	01
		2B	Child Hip Joints	02
3	3.1 AK KNEES	3.1A	Adult Trans-Femoral Knees	01
			» Which Adult Functional Level?	01
			» Level 1 Knees	02-13
			» Level 2 Knees	14-29
			» Level 3 Knees	30-69
			» Level 4 Knees	70-97
		3.1B	Adult Disarticulation Knees	01-15
		3.1C	Child and Adolescent Knees	01-13
	3.2 KNEE CONNECTORS & ALIGNMENT SYSTEMS	3.2A	» ePAD - NEW	01
		3.2B	AK Knee Connectors Selector Charts	
			» Selector Chart for Adult Knees With 4-Threaded Holes + Center Bolt	01
			» Selector Chart Child and Adolescent	02
		3.2C	» Knee Connectors Detail Specs	01-07
		3.2D	Child and Adolescent Knees	
			» AK Ultra Pyramid System	01-08
			» Wedge Plates System	09
4	BK SYSTEMS	4A	» ePAD - NEW	01
		4B	Socket Connectors and Alignment Systems	
			» Selector Chart for Adult Alignable Systems	01
			» Selector Chart for Adult Non-Alignable Systems	02
			» Selector Chart for Children and Adolescents	03
		4C	Socket Connectors Detail Specs	01-03
		4D	Selected BK Alignment Systems	
			» BK Ultra Pyramid™ System	01-06
5	PYLONS / ROTATORS VERTICAL LOAD ABSORBERS	5A	Pylons	
			» Adult 30mm	01
			» Adjustable Height	02
			» Child and Adolescent 22mm	03
		5B	Knee Rotators	01
		5C	SHoT Vertical Load and Torque Absorber	01
6	ANKLES	6A	Adult SACH Ankles	01
			» Single Axis	02
			» Multi Axis	03
		6B	Child and Adolescent	01
7	FEET	7A	Rhythm Foot™	01-02
		7B	Non-Energy Restitution Feet	
			» Single Axis Feet	01
			» Multi Axis Feet	02
8	SUSPENSIONS	8.1	BK Suspension Sleeves (G-Sleeve™/Fix Prosthesis™)	
			» Cool-Sleeve	01-02
			» Fix Prosthesis	03-04
		8.2	BK Suction Socket Valve Kits	01-02
			Suction Valves	03-04
9	9.1 FOAM COVERS	9.1A	AK Foam Covers	
			» DAWFlex™	01-02
			» Soft Foam Unshaped	03
			» Discontinuous 2-Part	04-05
		9.1B	BK Foam Covers	
			» Foam Block	01
	9.2 FINISHINGS – DAWSKIN™ – COSMETIC STOCKINGS	9.2A	DAWSkin™	
			» BK DAWSkin, BK DAWToeSkin	01-04
			» AK 1-Part	05
			» AK Discontinuous 2-Part	06
			» DAWSkin Accessories and Options	09-10
		9.2B	Cosmetic Stockings	01
10	FABRICATION MATERIALS & FIXTURES	10.1	Laminating Materials	01
		10.1A	D.G.E.L.™ Resin II	03
		10.1A	D.G.E.L.™ Tubular Brand	04
		10.1A	D.G.E.L.™ Fiber Beam	05
		10.1A	D.G.E.L.™ Edger	06
		10.1B	Generic Carbon Cloth	01
		10.2	Thermoplastic Materials / Thermics	01
		10.3	Alignment Tool	01
11	TORQUE SETTINGS, SCHEMATICS, BOLT AND SCREW CHARTS	11A	Torque Settings	01
		11B	Bolt Chart	01
		11C	Screw Chart	02
		11D	Schematics	01-29
12	INDEX	12	Index	01

DAWDERM

SKIN TISSUE SYSTEMS



SECTION 1

SECTION	PAGES
1.0 Cool Liner™	
• 1.0A The Tri-Gel Cool Liner +	01 - 02
• 1.0B The Original Cool Liner	01 - 02
1.1 DAWFlo™ System	
• 1.1A DAWFlo Ensemble	01 - 02
• 1.1B DAWFlo Sheath	01
• 1.1C DAWFlo Sock	01
• 1.1D DAWFlo Knee Disarticulation	01
• 1.1E DAWFlo Ensemble with V-Band Garter	01
• 1.1F DAWFlo How to Measure/ How to Order	01 - 12
1.2 DAW Suction Socket Sheath	01 - 02
1.3 Suction AK Donning Devices	
• 1.3A EZ-IN™	01 - 02
• 1.3B DAW Slipper™	01 - 02
1.4 DAW Edema Reducing System	
• 1.4A DAW Reducers	01 - 05
• AK DAW Reducer	02 - 03
• BK DAW Reducer	04 - 05
• 1.4B DAW'NER™	01 - 02

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAWDERM

SKIN TISSUE SYSTEMS



SECTION 1

SECTION	PAGES
1.0 Cool Liner™	
• 1.0A The Tri-Gel Cool Liner +	01 - 02
• 1.0B The Original Cool Liner	01 - 02
1.1 DAWFlo™ System	
• 1.1A DAWFlo Ensemble	01 - 02
• 1.1B DAWFlo Sheath	01
• 1.1C DAWFlo Sock	01
• 1.1D DAWFlo Knee Disarticulation	01
• 1.1E DAWFlo Ensemble with V-Band Garter	01
• 1.1F DAWFlo How to Measure/ How to Order	01 - 12
1.2 DAW Suction Socket Sheath	01 - 02
1.3 Suction AK Donning Devices	
• 1.3A EZ-IN™	01 - 02
• 1.3B DAW Slipper™	01 - 02
1.4 DAW Edema Reducing System	
• 1.4A DAW Reducers	01 - 05
• AK DAW Reducer	02 - 03
• BK DAW Reducer	04 - 05
• 1.4B DAW'NER™	01 - 02

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

TURBO CHARGE !

ALL NEW TECHNOLOGY

YOUR SILICONE LINERS

Upgrade To TRI-GEL™

Cool Liner™ +

Heat Customizable

- All Sizes: 3, 6, and 9mm (20/28 and 23/32 Only)
- Cushion Liners
- Distal Attachment Liners
- Original Stretch Control

DAW® INDUSTRIES

www.daw-usa.com

Tech Hotline (877) 242-2423

TRI-GEL™ Cool Liner+™

Product Numbers

	TRI-GEL™ Cool Liner+™	Cool Liner 2.0 DCF (cushion)	Cool Liner 2.0 DCFP (locking)
3mm	3mm Small	DCF-3M16/19	DCFP-3M16/19
	3mm Med Tapered	DCF-3M17/22T	DCFP-3M17/22T
	3mm Med	DCF-3M18/22	DCFP-3M18/22
	3mm Med + Tapered	DCF-3M18/28T	DCFP-3M18/28T
	3mm Med +	DCF-3M20/28	DCFP-3M20/28
	3mm Large	DCF-3M23/32	DCFP-3M23/32
	3mm Large +	DCF-3M28/34	DCFP-3M28/34
	3mm X-Large	DCF-3M33/40	DCFP-3M33/40
6mm	6mm Small	DCF-6M16/19	DCFP-6M16/19
	6mm Med Tapered	DCF-6M17/22T	DCFP-6M17/22T
	6mm Med	DCF-6M18/22	DCFP-6M18/22
	6mm Med + Tapered	DCF-6M18/28T	DCFP-6M18/28T
	6mm Med +	DCF-6M20/28	DCFP-6M20/28
	6mm Large	DCF-6M23/32	DCFP-6M23/32
	6mm Large +	DCF-6M28/34	DCFP-6M28/34
	6mm X-Large	DCF-6M33/40	DCFP-6M33/40
9mm	9mm Med +	DCF-9M20/28	DCFP-9M20/28
	9mm Large	DCF-9M23/32	DCFP-9M23/32

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

USING ALPHA LINER *?

Retrofit with

COOL LINER 2.0

NEW!

Heat Customizable

- All Sizes: 3, 6, and 9mm
- Cushion Liners
- Distal Attachment Liners
- Original Stretch Control
- Ultra Stretch Control VSC

DAW® INDUSTRIES

www.daw-usa.com

Tech Hotline (877) 242-2423

*Alpha Liner is a registered trademark of Ohio Willow Wood Corporation - Mt. Sterling, OH

Cool Liner

Product Numbers

Cool Liner™		The Original Cool Liner		Vertical Stretch Control© VSC™	
		DCL (cushion)	**DCLP** (locking)	**DCLSC** (cushion, **V**ertical **S**tretch **C**ontrol)	**DCLPSC** (locking, **V**ertical **S**tretch **C**ontrol)
3mm	3mm Small	DCL-3M16/19	DCLP-3M16/19	* DCLSC-3M16/19	* DCLPSC-3M16/19
	3mm Med Tapered	DCL-3M17/22T	DCLP-3M17/22T	* DCLSC-3M17/22T	* DCLPSC-3M17/22T
	3mm Med	DCL-3M18/22	DCLP-3M18/22	* DCLSC-3M18/22	* DCLPSC-3M18/22
	3mm Med + Tapered	DCL-3M18/28T	DCLP-3M18/28T	* DCLSC-3M18/28T	* DCLPSC-3M18/28T
	3mm Med +	DCL-3M20/28	DCLP-3M20/28	DCLSC-3M20/28	DCLPSC-3M20/28
	3mm Large	DCL-3M23/32	DCLP-3M23/32	DCLSC-3M23/32	DCLPSC-3M23/32
	3mm Large +	DCL-3M28/34	DCLP-3M28/34	DCLSC-3M28/34	DCLPSC-3M28/34
	3mm X-Large	DCL-3M33/40	DCLP-3M33/40	DCLSC-3M33/40	DCLPSC-3M33/40
6mm	6mm Small	DCL-6M16/19	DCLP-6M16/19	DCLSC-6M16/19	DCLPSC-6M16/19
	6mm Med Tapered	DCL-6M17/22T	DCLP-6M17/22T	DCLSC-6M17/22T	DCLPSC-6M17/22T
	6mm Med	DCL-6M18/22	DCLP-6M18/22	DCLSC-6M18/22	DCLPSC-6M18/22
	6mm Med + Tapered	DCL-6M18/28T	DCLP-6M18/28T	DCLSC-6M18/28T	DCLPSC-6M18/28T
	6mm Med +	DCL-6M20/28	DCLP-6M20/28	DCLSC-6M20/28	DCLPSC-6M20/28
	6mm Large	DCL-6M23/32	DCLP-6M23/32	DCLSC-6M23/32	DCLPSC-6M23/32
	6mm Large +	DCL-6M28/34	DCLP-6M28/34	DCLSC-6M28/34	DCLPSC-6M28/34
	6mm X-Large	DCL-6M33/40	DCLP-6M33/40	DCLSC-6M33/40	DCLPSC-6M33/40
9mm	9mm Small	DCL-9M16/19	DCLP-9M16/19	* DCLSC-9M16/19	* DCLPSC-9M16/19
	9mm Med Tapered	DCL-9M17/22T	DCLP-9M17/22T	* DCLSC-9M17/22T	* DCLPSC-9M17/22T
	9mm Med	DCL-9M18/22	DCLP-9M18/22	DCLSC-9M18/22	DCLPSC-9M18/22
	9mm Med + Tapered	DCL-9M18/28T	DCLP-9M18/28T	* DCLSC-9M18/28T	* DCLPSC-9M18/28T
	9mm Med +	DCL-9M20/28	DCLP-9M20/28	DCLSC-9M20/28	DCLPSC-9M20/28
	9mm Large	DCL-9M23/32	DCLP-9M23/32	DCLSC-9M23/32	DCLPSC-9M23/32
	9mm Large +	DCL-9M28/34	DCLP-9M28/34	* DCLSC-9M28/34	* DCLPSC-9M28/34
	9mm X-Large	DCL-9M33/40	DCLP-9M33/40	* DCLSC-9M33/40	* DCLPSC-9M33/40

* Special Order Only

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

Cool Liner™

Patented

Love the difference!©

Patented
Vertical
Stretch
Control
Also available without V.S.C.

NEW HIGH ACTIVITY

ABSOLUTELY NO STRETCH!
(VERTICALLY)

THE ULTIMATE HEAT FORMABLE GEL for Socket Comfort

- ✓ Maximum Cushion Comfort
- ✓ Total Sheer Protection
- ✓ Guaranteed Durability
- ✓ Mineral Oil Based Gel
- ✓ Vitamin A, D & E Enriched

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

Cool Liner™

The ULTIMATE Socket Comfort



© Copyright 2011, DAW Industries, Inc., San Diego, CA. All rights reserved.

Orders (800) 252-2828 • Technical Hotline (877) 242-2423 • www.daw-usa.com

DAWFLO™

The Choice of Professionals

DAWFLO™ ENSEMBLE

CLAIM TO FAME

- Circulation enhancement through gradient pressure
- Helps venous return, capillary stimulation when properly fitted
- Reduces or eliminates irritation and bruising
- Moisture barrier, substantially decreases perspiration
- Helps keep skin dry
- Frictionless ensemble without piston action
- Unique limb/prosthesis bond
- Can be machine washed and tumble dried: No shrinking, retains softness, elasticity and gradient pressure

DAWFLO ENSEMBLE = DAWFLO Sheath + Sock

Worldly acclaimed as the finest Sock / Sheath system, it provides the ultimate care of the residual limb by helping promote venous return. A technical breakthrough together with old-fashioned workmanship in handsewing brings a matchless level of quality. The DAWFLO Sock / Sheath ensemble is one of the greatest advancements in prosthetic care – it is not “just another sock”.

The DAWFLO Sheath has a soft surface next to the skin made of the finest sheer material. An outside surface that grips the DAWFLO Sock, preventing movement between Sheath and Sock. It also provides a ventilated mesh which allows perspiration to pass through.

The DAWFLO Sock has a soft side, made of pure wool, that “clings” to the outside of the DAWFLO Sheath. The DAWFLO Sheath and Sock become integrated, yet keep their individual functions. An outer surface, made of synthetic fibers, provides better adherence to the inside of the socket.

When properly fitted, it supports the skin and muscle tissue of the residual limb. The DAWFLO Sock is highly effective in helping to create a perfect, total fit of the prosthesis to the limb. Because the inside is made of the finest 100% virgin wool, the DAWFLO Sock is very efficient in absorbing perspiration. Available in 3, 5 and 6-ply. The special design allows for easy circulation of the air, thus evaporating perspiration. Besides wool, it can also be ordered in Cotton.

HOW TO ORDER

Please refer to the chart in **Section 1.1F, p.02**

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAWFLO™ SHEATH

CLAIM TO FAME

- Helps venous return, capillary stimulation when properly fitted.
- Reduces or eliminates irritation, friction and bruising.
- Moisture barrier, substantially decreases perspiration.
- Helps keep skin dry.
- Circulation enhancement through gradient pressure.
- Outlives regular Prosthetic Sheaths 10 to 1.

Worldly acclaimed as the finest Prosthetic Sheth system, it provides the ultimate care of the residual limb by helping promote venous return. A technical breakthrough together with old-fashioned workmanship in handsewing brings a matchless level of quality. The DAWFLO Sheath is one of the greatest advancements in prosthetic care - it is not “just another prosthetic sheath”.

The DAWFLO Sheath has a soft surface next to the skin made of the finest sheer material. Its outside surface grips the DAWFLO Sock, preventing movement between Sheath and Sock. The perspiration passes through to the DAWFLO Sock thanks to the DAWFLO Sheath ventilated mesh.

When properly fitted, it supports the skin and muscle tissue of the residual limb. The DAWFLO Sheath is highly effective in helping to create a perfect, total fit of the prosthesis to the limb. The special design allows for easy circulation of the air, thus evaporating the perspiration and creating a moisture barrier screen which helps keep the skin dry.

HOW TO ORDER

Please refer to the chart in **Section 1.1F, p.02**

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAWFLO™ SOCK

CLAIM TO FAME

- Circulation enhancement through gradient pressure
- Helps venous return, capillary stimulation when properly fitted
- Helps keep skin dry
- Frictionless ensemble without piston action when used with the DAWFLO Sheath
- Unique limb/prosthesis bond
- Can be machine washed and tumble dried:
- No shrinking, retains softness, elasticity and gradient pressure

Worldly acclaimed as the finest sock, it provides the ultimate care of the residual limb by helping promote venous return. A technical breakthrough together with old-fashioned workmanship in hand-sewing brings a matchless level of quality. The DAWFLO Sock is one of the greatest advancements in prosthetic care – it is not “just another sock”.

The DAWFLO Sock has a soft side, made of pure wool, that “clings” to the outside of the DAWFLO Sheath. The DAWFLO Sheath and Sock become integrated, yet keep their individual functions. An outer surface, made of synthetic fibers, provides better adherence to the inside of the socket.

When properly fitted, it supports the skin and muscle tissue of the residual limb. The DAWFLO Sock is highly effective in helping to create a perfect, total fit of the prosthesis to the limb. Because the inside is made of the finest 100% virgin wool, the DAWFLO Sock is very efficient in absorbing perspiration. Available in 3, 5 and 6 ply. The special design allows for easy circulation of the air, thus evaporating perspiration. Besides wool, it can also be ordered in Cotton.

HOW TO ORDER

Please refer to the chart in **Section 1.1F, p.02**

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAWFLO™ ENSEMBLE

KNEE DISARTICULATION

CLAIM TO FAME

- Circulation enhancement through gradient pressure.
- Helps venous return.
- Capillary stimulation.
- Moisture barrier.
- Helps skin dry.
- Frictionless ensemble without piston action.
- Unique limb/prosthesis bond.
- Available in size 2-3-4-5 from 18” to 22” long.

Completing the family of DAWFLO™ Socks & DAWFLO™ Sheaths

The knee disarticulation amputee has always had special needs and requirements due to the shape and length of their residual limb. This contoured Sock and Sheath provides all the benefits of the DAWFLO combination system with the added advantage of a perfect fit without the need of custom factory ordering.

HOW TO ORDER

Please refer to the chart in **Section 1.1F, p.02**

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

ENSEMBLE WITH **V-BAND GARTER**

ENSEMBLE WITH **GARTER ONLY**

DAWFLO™ with V-BAND GARTER

or with GARTER only

CLAIM TO FAME

- Total prevention of AK sock slippage in the socket.
- Medial & Lateral attachment.
- Helps prevent skin irritation medially due to sock slippage.
- Enhances AK Residual Limb suspensory.
- All the benefits of the DAWFLO Ensemble.

Designed especially for the Hip-Joint prosthesis, the DAWFLO with V-Band Garter provides unexcelled comfort. The exclusive design reduces bulk, aids suspension, and eliminates slippage in the socket, both medially and laterally.

Patients not needing the V-band can also reduce sheath/sock slippage by using the DAWFLO Garter. In both cases the ensemble is kept in the pulled up position by an elastic band, folding the top over the socket brim and tying the draw string.

HOW TO ORDER

Please refer to the chart in **Section 1.1F, p.11**

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

PROPER FITTING

Optimum results can only be obtained when DAWFlo Sock and Sheath are fitted properly to provide gradient compression. The WIDTH of the unit MUST BE SMALL ENOUGH TO EFFECTIVELY USE THE ELASTIC QUALITIES IN THE WIDTH (not length) OF THE SOCK AND SHEATH. If fitted incorrectly, the patient may experience some good, but not excellent results.





CORRECT FIT

DAWFlo sock and Sheath are snug, smooth and wrinkle free. WIDTH SIZE IS CORRECT AND UNITS WILL NOT SLIP DOWN. Sufficient compression is applied.





INCORRECT FIT

Unit may be wrinkle free and appear snug, but width is not small enough. DAWFlo Sheath and Sock will not provide sufficient compression.

If you question whether your patient is getting the best fit, please:

- *Follow instructions on next page to obtain necessary measurements.*
- *Call us with the measurements, toll free at* **(800) 252-2828**.

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAWFLO SYSTEM

HOW TO MEASURE FOR PROPER DAWFLO FITTING

ARM



A. Measure the circumference on the limb at the level of the proximal socket brim. = ____

B. Measure the circumference 2 inches above the distal end of the residual limb. = ____

C. Measure the length from the level where the proximal circumference measurement was taken down to the distal end of the residual limb. = ____

A.K.



A. Measure the circumference on the limb from the top of the lateral wall to the top of the medial wall (this is different from the ischial circumference). = ____

B. Measure the circumference at the ischial (crotch) level. = ____

C. Measure the circumference 2 inches above the distal end of the residual limb. = ____

D. Measure the length from the top of the lateral wall. = ____

E. Measure distance between top of Lateral wall to ischial level (crotch). = ____

B.K.



A. Measure the circumference on the limb at the level of the top of the suspension strap if you are using one. = ____

B. Measure at the level of the top of socket brim. = ____

C. Measure the circumference 2 inches above the distal end of the residual limb. = ____

D. Measure the length from top of socket down to the distal end of the residual limb. = ____

E. In case you wear a Suspension Strap: measure distance between top of Suspension Strap and top of socket. = ____

SYMES



A. Measure the circumference on the limb at the level of the top of the suspension strap if you are using one. = ____

B. Measure at the level of the top of socket brim. = ____

C. Measure the circumference where ankle is narrow. = ____

D. Measure circumference at largest distal end. = ____

E. Measure the length from top of socket down to the distal end of the residual limb. = ____

F. In case you wear a Suspension Strap: measure distance between top of Suspension Strap and top of socket. = ____

Please call us at 800-252-2828 with measurements.

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAWFLO™

Here is an example of an order with all the information needed:

QUANTITY	DESCRIPTION	SIZE	DESIGN
12	3-Ply DAW*FLO* Ensemble	1-12	Yellow
6	5-Ply DAW*FLO* Ensemble	1-14	Green
3	DAW*FLO* Sheaths	2-16	Yellow
2	5-Ply DAW*FLO* Sock	3-18	

For AK no need to specify design.

1 QUANTITY

Give the quantity for each item and size you wish to order. If your total order includes 48 packs or more you are entitled to the discount price in the "48 or more items" column.

2 DESCRIPTION *(If not specified, 5-Ply combination packs will be shipped).*

Tell us if you wish the pack to include:

DAW SHEATH ONLY	includes one DAW sheath with ventilated mesh
OR A 3-PLY SOCK ONLY	includes one fleeced 3-ply DAW sock. *
OR A 5-PLY SOCK ONLY	includes one fleeced 5-ply DAW sock. *
OR A 6-PLY SOCK ONLY	includes one fleeced 6-ply DAW sock. *
OR A 3-PLY DAW ENSEMBLE	includes one DAW sheath and one fleeced 3-ply* DAW sock in the same size as well as a washing bag.
OR A 5-PLY DAW ENSEMBLE	includes one DAW sheath and one fleeced 5-ply* DAW sock in the same size as well as a washing bag.
OR A 6-PLY DAW ENSEMBLE	includes one DAW sheath and one fleeced 6-ply* DAW sock in the same size as well as a washing bag.

***also available:** 3-ply unfleeced socks (thinner than a regular 3-ply sock they correspond in thickness to a 2-ply sock)

3 SIZE

Give: Either the **American Size**

#1-12	or	Top 7in - Toe 4in - 12in long
#13-18	or	Top 9in - Toe 6in - 18in long

= The **Metric Size** as follows:

EXAMPLE: F2-3Ø
F4-F5

Caution:
DAW socks can be machine washed and dried, they do not shrink, they keep elasticity and softness—Some patients who are used to using other manufacturers' socks might be wearing a size larger than needed considering the shrinkage. With DAWFLO, to enhance venous return, you want a snug fit from the first fitting

—For example you might want to use a size 1 Instead of a size 2 for such a patient.

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

HOW TO ORDER

4 DESIGN SELECTION FOR DAWFLOW SHEATH & SOCK

- For AK as well as BK with thigh corset, no need to specify the design (it will always be supplied in the yellow design).

- For BK amputees in American size 1 and size 2 you have the choice between- the yellow design and the green design:

Up to 18 inches (45 cm) long size 1 and size 2, the socks and sheaths in the yellow design have the same shape as other manufacturers' prosthetic socks, in the green design they have a more tapered shape and are for BK with a pointed end of residual limb



20 inches (50 cm) or longer, the green design offers a bulbous distal end:



DAWFLO SHEATH AND SOCK WITH GARTER

YELLOW DESIGN with V-Band Garter (in yellow pack with a blue stripe)	See Yellow Design with V-Band Garter
YELLOW DESIGN with Garter (in yellow pack with a blue stripe)	See Yellow Design schedule (non-inventory item*)
GREEN DESIGN with Garter (in green packs with a blue stripe)	Please Call Customer Service (non-inventory item*)

– CUSTOM ORDERS –
SEND TRACING

35% ADDITIONAL
MINIMUM QUANTITY: 6

*Custom Order and Non-inventory Items Are Not Returnable

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAWFLO™

SIZING CHART

Worldly acclaimed as the finest sock / sheath system, it provides the ultimate care of the residual limb by helping promote venous return. A technical breakthrough together with old-fashioned workmanship in handsewing brings a matchless level of quality. The DAWFLO sock / sheath ensemble is one of the greatest advancements in prosthetic care - it is not "just another sock".

DAW® INDUSTRIES

FØØ Yellow Design			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	3.50"	2.50"	3ØC51 FØØ-2Ø	5ØC51 FØØ-2Ø	N/A	1Ø-Ø1 FØØ-2Ø	3Ø-51 FØØ-2Ø	5Ø-51 FØØ-2Ø	N/A
10" (25cm)	3.50"	2.50"	3ØC51 FØØ-25	5ØC51 FØØ-25	↓	1Ø-Ø1 FØØ-25	3Ø-51 FØØ-25	5Ø-51 FØØ-25	↓
12" (30cm)	3.50"	2.25"	3ØC51 FØØ-3Ø	5ØC51 FØØ-3Ø		1Ø-Ø1 FØØ-3Ø	3Ø-51 FØØ-3Ø	5Ø-51 FØØ-3Ø	
14" (35cm)	3.50"	2.25"	3ØC51 FØØ-35	5ØC51 FØØ-35		1Ø-Ø1 FØØ-35	3Ø-51 FØØ-35	5Ø-51 FØØ-35	
16" (40cm)	3.50"	2.25"	3ØC51 FØØ-4Ø	5ØC51 FØØ-4Ø		1Ø-Ø1 FØØ-4Ø	3Ø-51 FØØ-4Ø	5Ø-51 FØØ-4Ø	
18" (45cm)	3.50"	2.25"	3ØC51 FØØ-45	5ØC51 FØØ-45		1Ø-Ø1 FØØ-45	3Ø-51 FØØ-45	5Ø-51 FØØ-45	
20" (50cm)	3.50"	2.25"	3ØC51 FØØ-5Ø	5ØC51 FØØ-5Ø		1Ø-Ø1 FØØ-5Ø	3Ø-51 FØØ-5Ø	5Ø-51 FØØ-5Ø	

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

DAWFLO™ SIZING CHART

SIZE A Yellow Design			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	4.00"	2.75"	3ØC51 FØ-2Ø	5ØC51 FØ-2Ø	N/A	1Ø-Ø1 FØ-2Ø	3Ø-51 FØ-2Ø	5Ø-51 FØ-2Ø	N/A
10" (25cm)	4.00"	2.75"	3ØC51 FØ-25	5ØC51 FØ-25	↓	1Ø-Ø1 FØ-25	3Ø-51 FØ-25	5Ø-51 FØ-25	↓
12" (30cm)	4.00"	2.75"	3ØC51 FØ-3Ø	5ØC51 FØ-3Ø		1Ø-Ø1 FØ-3Ø	3Ø-51 FØ-3Ø	5Ø-51 FØ-3Ø	
14" (35cm)	4.00"	2.75"	3ØC51 FØ-35	5ØC51 FØ-35		1Ø-Ø1 FØ-35	3Ø-51 FØ-35	5Ø-51 FØ-35	
16" (40cm)	4.00"	2.50"	3ØC51 FØ-4Ø	5ØC51 FØ-4Ø		1Ø-Ø1 FØ-4Ø	3Ø-51 FØ-4Ø	5Ø-51 FØ-4Ø	
18" (45cm)	4.00"	2.50"	3ØC51 FØ-45	5ØC51 FØ-45		1Ø-Ø1 FØ-45	3Ø-51 FØ-45	5Ø-51 FØ-45	
20" (50cm)	4.00"	2.50"	3ØC51 FØ-5Ø	5ØC51 FØ-5Ø		1Ø-Ø1 FØ-5Ø	3Ø-51 FØ-5Ø	5Ø-51 FØ-5Ø	

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

SIZE B Yellow Design			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	5.00"	3.00"	3ØC51 F1-2Ø	5ØC51 F1-2Ø	N/A	1Ø-Ø1 F1-2Ø	3Ø-51 F1-2Ø	5Ø-51 F1-2Ø	N/A
10" (25cm)	5.00"	3.00"	3ØC51 F1-25	5ØC51 F1-25	↓	1Ø-Ø1 F1-25	3Ø-51 F1-25	5Ø-51 F1-25	↓
12" (30cm)	5.00"	3.00"	3ØC51 F1-3Ø	5ØC51 F1-3Ø		1Ø-Ø1 F1-3Ø	3Ø-51 F1-3Ø	5Ø-51 F1-3Ø	
14" (35cm)	5.00"	3.00"	3ØC51 F1-35	5ØC51 F1-35		1Ø-Ø1 F1-35	3Ø-51 F1-35	5Ø-51 F1-35	
16" (40cm)	5.00"	3.00"	3ØC51 F1-4Ø	5ØC51 F1-4Ø		1Ø-Ø1 F1-4Ø	3Ø-51 F1-4Ø	5Ø-51 F1-4Ø	
18" (45cm)	5.00"	3.00"	3ØC51 F1-45	5ØC51 F1-45		1Ø-Ø1 F1-45	3Ø-51 F1-45	5Ø-51 F1-45	
20" (50cm)	5.00"	3.00"	3ØC51 F1-5Ø	5ØC51 F1-5Ø		1Ø-Ø1 F1-5Ø	3Ø-51 F1-5Ø	5Ø-51 F1-5Ø	

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

DAWFLO™ SIZING CHART

SIZE Ø Yellow Design (Standard Toe)			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	5.00"	3.00"	3ØC51 F1-2Ø	5ØC51 F1-2Ø	6ØC51 F1-2Ø	1Ø-Ø1 F1-2Ø	3Ø-51 F1-2Ø	5Ø-51 F1-2Ø	6Ø-51 F1-2Ø
10" (25cm)	5.00"	3.00"	3ØC51 F1-25	5ØC51 F1-25	6ØC51 F1-25	1Ø-Ø1 F1-25	3Ø-51 F1-25	5Ø-51 F1-25	6Ø-51 F1-25
12" (30cm)	5.00"	3.00"	3ØC51 F1-3Ø	5ØC51 F1-3Ø	6ØC51 F1-3Ø	1Ø-Ø1 F1-3Ø	3Ø-51 F1-3Ø	5Ø-51 F1-3Ø	6Ø-51 F1-3Ø
14" (35cm)	5.00"	3.00"	3ØC51 F1-35	5ØC51 F1-35	6ØC51 F1-35	1Ø-Ø1 F1-35	3Ø-51 F1-35	5Ø-51 F1-35	6Ø-51 F1-35
16" (40cm)	5.00"	3.00"	3ØC51 F1-4Ø	5ØC51 F1-4Ø	6ØC51 F1-4Ø	1Ø-Ø1 F1-4Ø	3Ø-51 F1-4Ø	5Ø-51 F1-4Ø	6Ø-51 F1-4Ø
18" (45cm)	5.00"	3.00"	3ØC51 F1-45	5ØC51 F1-45	6ØC51 F1-45	1Ø-Ø1 F1-45	3Ø-51 F1-45	5Ø-51 F1-45	6Ø-51 F1-45
20" (50cm)	5.00"	3.00"	3ØC51 F1-5Ø	5ØC51 F1-5Ø	6ØC51 F1-5Ø	1Ø-Ø1 F1-5Ø	3Ø-51 F1-5Ø	5Ø-51 F1-5Ø	6Ø-51 F1-5Ø
22" (55cm)	*	*	*	*	*	*	*	*	*
24" (60cm)	*	*	*	*	*	*	*	*	*
26" (65cm)	*	*	*	*	*	*	*	*	*
28" (70cm)	*	*	*	*	*	*	*	*	*

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

SIZE Ø Green Design (Narrow Toe)			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	5.00"	3.25"	35C51 F1-2Ø	55C51 F1-2Ø	65C51 F1-2Ø	15-Ø1 F1-2Ø	35-51 F1-2Ø	55-51 F1-2Ø	65-51 F1-2Ø
10" (25cm)	5.00"	3.25"	35C51 F1-25	55C51 F1-25	65C51 F1-25	15-Ø1 F1-25	35-51 F1-25	55-51 F1-25	65-51 F1-25
12" (30cm)	5.00"	3.25"	35C51 F1-3Ø	55C51 F1-3Ø	65C51 F1-3Ø	15-Ø1 F1-3Ø	35-51 F1-3Ø	55-51 F1-3Ø	65-51 F1-3Ø
14" (35cm)	5.25"	3.00"	35C51 F1-35	55C51 F1-35	65C51 F1-35	15-Ø1 F1-35	35-51 F1-35	55-51 F1-35	65-51 F1-35
16" (40cm)	5.00"	3.00"	35C51 F1-4Ø	55C51 F1-4Ø	65C51 F1-4Ø	15-Ø1 F1-4Ø	35-51 F1-4Ø	55-51 F1-4Ø	65-51 F1-4Ø
18" (45cm)	5.25"	3.00"	35C51 F1-45	55C51 F1-45	65C51 F1-45	15-Ø1 F1-45	35-51 F1-45	55-51 F1-45	65-51 F1-45
20" (50cm)	5.00"	3.00"	35C52 F1-5Ø	55C52 F1-5Ø	65C52 F1-5Ø	15-Ø2 F1-5Ø	35-52 F1-5Ø	55-52 F1-5Ø	65-52 F1-5Ø
22" (55cm)	5.25"	3.00"	35C52 F1-55	55C52 F1-55	65C52 F1-55	15-Ø2 F1-55	35-52 F1-55	55-52 F1-55	65-52 F1-55
24" (60cm)	5.00"	3.00"	35C52 F1-6Ø	55C52 F1-6Ø	65C52 F1-6Ø	15-Ø2 F1-6Ø	35-52 F1-6Ø	55-52 F1-6Ø	65-52 F1-6Ø
26" (65cm)	5.00"	3.00"	35C52 F1-65	55C52 F1-65	65C52 F1-65	15-Ø2 F1-65	35-52 F1-65	55-52 F1-65	65-52 F1-65
28" (70cm)	*	*	*	*	*	*	*	*	*

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

DAWFLO™ SIZING CHART

SIZE 1 Yellow Design

			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
V 8" (20cm)	6.50"	4.00"	33C5Ø F2-2Ø	53C5Ø F2-2Ø	63C5Ø F2-2Ø	13-ØØ F2-2Ø	33-5Ø F2-2Ø	53-5Ø F2-2Ø	63-5Ø F2-2Ø
V 10" (25cm)	6.25"	4.00"	33C5Ø F2-25	53C5Ø F2-25	63C5Ø F2-25	13-ØØ F2-25	33-5Ø F2-25	53-5Ø F2-25	63-5Ø F2-25
V 12" (30cm)	6.50"	4.50"	33C5Ø F2-3Ø	53C5Ø F2-3Ø	63C5Ø F2-3Ø	13-ØØ F2-3Ø	33-5Ø F2-3Ø	53-5Ø F2-3Ø	63-5Ø F2-3Ø
V 14" (35cm)	6.50"	4.00"	33C5Ø F2-35	53C5Ø F2-35	63C5Ø F2-35	13-ØØ F2-35	33-5Ø F2-35	53-5Ø F2-35	63-5Ø F2-35
V 16" (40cm)	6.50"	3.25"	33C5Ø F2-4Ø	53C5Ø F2-4Ø	63C5Ø F2-4Ø	13-ØØ F2-4Ø	33-5Ø F2-4Ø	53-5Ø F2-4Ø	63-5Ø F2-4Ø
V 18" (45cm)	6.50"	3.25"	33C5Ø F2-45	53C5Ø F2-45	63C5Ø F2-45	13-ØØ F2-45	33-5Ø F2-45	53-5Ø F2-45	63-5Ø F2-45
V 20" (50cm)	6.50"	3.25"	33C5Ø F2-5Ø	53C5Ø F2-5Ø	63C5Ø F2-5Ø	13-ØØ F2-5Ø	33-5Ø F2-5Ø	53-5Ø F2-5Ø	63-5Ø F2-5Ø
V 22" (55cm)	6.00"	3.25"	33C51 F2-55	53C51 F2-55	63C51 F2-55	13-Ø1 F2-55	33-51 F2-55	53-51 F2-55	63-51 F2-55
24" (60cm)	6.00"	3.25"	33C51 F2-6Ø	53C51 F2-6Ø	63C51 F2-6Ø	13-Ø1 F2-6Ø	33-51 F2-6Ø	53-51 F2-6Ø	63-51 F2-6Ø
26" (65cm)	6.00"	3.25"	33C51 F2-65	53C51 F2-65	63C51 F2-65	13-Ø1 F2-65	33-51 F2-65	53-51 F2-65	63-51 F2-65
28" (70cm)	*	*	*	*	*	*	*	*	*

V = V-Band Garter available see Section 1.1E p.03

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

SIZE 1 Green Design (Narrow Toe)

			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	6.00"	3.50"	35C51 F2-2Ø	55C51 F2-2Ø	65C51 F2-2Ø	15-Ø1 F2-2Ø	35-51 F2-2Ø	55-51 F2-2Ø	65-51 F2-2Ø
10" (25cm)	6.00"	3.50"	35C51 F2-25	55C51 F2-25	65C51 F2-25	15-Ø1 F2-25	35-51 F2-25	55-51 F2-25	65-51 F2-25
12" (30cm)	6.00"	3.50"	35C51 F2-3Ø	55C51 F2-3Ø	65C51 F2-3Ø	15-Ø1 F2-3Ø	35-51 F2-3Ø	55-51 F2-3Ø	65-51 F2-3Ø
14" (35cm)	6.00"	3.25"	35C51 F2-35	55C51 F2-35	65C51 F2-35	15-Ø1 F2-35	35-51 F2-35	55-51 F2-35	65-51 F2-35
16" (40cm)	6.00"	3.00"	35C51 F2-4Ø	55C51 F2-4Ø	65C51 F2-4Ø	15-Ø1 F2-4Ø	35-51 F2-4Ø	55-51 F2-4Ø	65-51 F2-4Ø
18" (45cm)	6.00"	3.00"	35C51 F2-45	55C51 F2-45	65C51 F2-45	15-Ø1 F2-45	35-51 F2-45	55-51 F2-45	65-51 F2-45
20" (50cm)	6.50"	3.50"	35C52 F2-5Ø	55C52 F2-5Ø	65C52 F2-5Ø	15-Ø2 F2-5Ø	35-52 F2-5Ø	55-52 F2-5Ø	65-52 F2-5Ø
22" (55cm)	6.50"	3.50"	35C52 F2-55	55C52 F2-55	65C52 F2-55	15-Ø2 F2-55	35-52 F2-55	55-52 F2-55	65-52 F2-55
24" (60cm)	6.00"	3.50"	35C52 F2-6Ø	55C52 F2-6Ø	65C52 F2-6Ø	15-Ø2 F2-6Ø	35-52 F2-6Ø	55-52 F2-6Ø	65-52 F2-6Ø
26" (65cm)	6.00"	3.50"	35C52 F2-65	55C52 F2-65	65C52 F2-65	15-Ø2 F2-65	35-52 F2-65	55-52 F2-65	65-52 F2-65
28" (70cm)	*	*	*	*	*	*	*	*	*

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

DAWFLO™ SIZING CHART

SIZE 2 Yellow Design

	LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag — Cott 3-PLY Ensemble STOCK#	Cott 5-PLY Ensemble STOCK#	6-PLY Ensemble STOCK#	DAWFLO Sheath Only STOCK#	DAWFLO Sock Only — Cott 3-PLY Sock Only STOCK#	Cott 5-PLY Sock Only STOCK#	6-PLY Sock Only STOCK#
V	8" (20cm)	7.50"	4.50"	33C5Ø F3-2Ø	53C5Ø F3-2Ø	63C5Ø F3-2Ø	13-ØØ F3-2Ø	33-5Ø F3-2Ø	53-5Ø F3-2Ø	63-5Ø F3-2Ø
V	10" (25cm)	7.50"	4.50"	33C5Ø F3-25	53C5Ø F3-25	63C5Ø F3-25	13-ØØ F3-25	33-5Ø F3-25	53-5Ø F3-25	63-5Ø F3-25
V	12" (30cm)	7.50"	4.50"	33C5Ø F3-3Ø	53C5Ø F3-3Ø	63C5Ø F3-3Ø	13-ØØ F3-3Ø	33-5Ø F3-3Ø	53-5Ø F3-3Ø	63-5Ø F3-3Ø
V	14" (35cm)	7.50"	4.25"	33C5Ø F3-35	53C5Ø F3-35	63C5Ø F3-35	13-ØØ F3-35	33-5Ø F3-35	53-5Ø F3-35	63-5Ø F3-35
V	16" (40cm)	7.50"	4.25"	33C5Ø F3-4Ø	53C5Ø F3-4Ø	63C5Ø F3-4Ø	13-ØØ F3-4Ø	33-5Ø F3-4Ø	53-5Ø F3-4Ø	63-5Ø F3-4Ø
V	18" (45cm)	7.50"	4.00"	33C5Ø F3-45	53C5Ø F3-45	63C5Ø F3-45	13-ØØ F3-45	33-5Ø F3-45	53-5Ø F3-45	63-5Ø F3-45
V	20" (50cm)	7.50"	3.75"	33C5Ø F3-5Ø	53C5Ø F3-5Ø	63C5Ø F3-5Ø	13-ØØ F3-5Ø	33-5Ø F3-5Ø	53-5Ø F3-5Ø	63-5Ø F3-5Ø
V	22" (55cm)	7.50"	3.75"	33C51 F3-55	53C51 F3-55	63C51 F3-55	13-Ø1 F3-55	33-51 F3-55	53-51 F3-55	63-51 F3-55
	24" (60cm)	7.25"	3.50"	33C51 F3-6Ø	53C51 F3-6Ø	63C51 F3-6Ø	13-Ø1 F3-6Ø	33-51 F3-6Ø	53-51 F3-6Ø	63-51 F3-6Ø
	26" (65cm)	7.25"	3.50"	33C51 F3-65	53C51 F3-65	63C51 F3-65	13-Ø1 F3-65	33-51 F3-65	53-51 F3-65	63-51 F3-65
	28" (70cm)	*	*	*	*	*	*	*	*	*

U U U

V = V-Band Garter available see Section 1.1E p.03

U = Also available in Knee Disarticulation. Stock # changes to 33C53 or 53C53 or 13-03

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

SIZE 2 Green Design (Narrow Toe)

LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag — Cott 3-PLY Ensemble STOCK#	Cott 5-PLY Ensemble STOCK#	6-PLY Ensemble STOCK#	DAWFLO Sheath Only STOCK#	DAWFLO Sock Only — Cott 3-PLY Sock Only STOCK#	Cott 5-PLY Sock Only STOCK#	6-PLY Sock Only STOCK#
8" (20cm)	7.00"	4.00"	35C51 F3-2Ø	55C51 F3-2Ø	65C51 F3-2Ø	15-Ø1 F3-2Ø	35-51 F3-2Ø	55-51 F3-2Ø	65-51 F3-2Ø
10" (25cm)	7.00"	4.00"	35C51 F3-25	55C51 F3-25	65C51 F3-25	15-Ø1 F3-25	35-51 F3-25	55-51 F3-25	65-51 F3-25
12" (30cm)	7.00"	4.00"	35C51 F3-3Ø	55C51 F3-3Ø	65C51 F3-3Ø	15-Ø1 F3-3Ø	35-51 F3-3Ø	55-51 F3-3Ø	65-51 F3-3Ø
14" (35cm)	6.75"	4.00"	35C51 F3-35	55C51 F3-35	65C51 F3-35	15-Ø1 F3-35	35-51 F3-35	55-51 F3-35	65-51 F3-35
16" (40cm)	6.75"	3.50"	35C51 F3-4Ø	55C51 F3-4Ø	65C51 F3-4Ø	15-Ø1 F3-4Ø	35-51 F3-4Ø	55-51 F3-4Ø	65-51 F3-4Ø
18" (45cm)	7.00"	3.50"	35C51 F3-45	55C51 F3-45	65C51 F3-45	15-Ø1 F3-45	35-51 F3-45	55-51 F3-45	65-51 F3-45
20" (50cm)	6.75"	3.50"	35C52 F3-5Ø	55C52 F3-5Ø	65C52 F3-5Ø	15-Ø2 F3-5Ø	35-52 F3-5Ø	55-52 F3-5Ø	65-52 F3-5Ø
22" (55cm)	6.75"	3.50"	35C52 F3-55	55C52 F3-55	65C52 F3-55	15-Ø2 F3-55	35-52 F3-55	55-52 F3-55	65-52 F3-55
24" (60cm)	6.75"	3.50"	35C52 F3-6Ø	55C52 F3-6Ø	65C52 F3-6Ø	15-Ø2 F3-6Ø	35-52 F3-6Ø	55-52 F3-6Ø	65-52 F3-6Ø
26" (65cm)	6.50"	3.50"	35C52 F3-65	55C52 F3-65	*	15-Ø2 F3-65	35-52 F3-65	55-52 F3-65	*
28" (70cm)	*	*	*	*	*	*	*	*	*

V = V-Band Garter available see Section 1.1E p.03

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

DAWFLO™ SIZING CHART

SIZE 3 Yellow Design

	LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag — Cott 3-PLY Ensemble STOCK#	Cott 5-PLY Ensemble STOCK#	6-PLY Ensemble STOCK#	DAWFLO Sheath Only STOCK#	DAWFLO Sock Only — Cott 3-PLY Sock Only STOCK#	Cott 5-PLY Sock Only STOCK#	6-PLY Sock Only STOCK#
V	8" (20cm)	9.00"	5.00"	33C5Ø F4-2Ø	53C5Ø F4-2Ø	63C5Ø F4-2Ø	13-ØØ F4-2Ø	33-5Ø F4-2Ø	53-5Ø F4-2Ø	63-5Ø F4-2Ø
V	10" (25cm)	9.00"	5.00"	33C5Ø F4-25	53C5Ø F4-25	63C5Ø F4-25	13-ØØ F4-25	33-5Ø F4-25	53-5Ø F4-25	63-5Ø F4-25
V	12" (30cm)	9.00"	5.00"	33C5Ø F4-3Ø	53C5Ø F4-3Ø	63C5Ø F4-3Ø	13-ØØ F4-3Ø	33-5Ø F4-3Ø	53-5Ø F4-3Ø	63-5Ø F4-3Ø
V	14" (35cm)	9.25"	5.00"	33C5Ø F4-35	53C5Ø F4-35	63C5Ø F4-35	13-ØØ F4-35	33-5Ø F4-35	53-5Ø F4-35	63-5Ø F4-35
U V	16" (40cm)	9.25"	5.00"	33C5Ø F4-4Ø	53C5Ø F4-4Ø	63C5Ø F4-4Ø	13-ØØ F4-4Ø	33-5Ø F4-4Ø	53-5Ø F4-4Ø	63-5Ø F4-4Ø
U V	18" (45cm)	9.25"	5.00"	33C5Ø F4-45	53C5Ø F4-45	63C5Ø F4-45	13-ØØ F4-45	33-5Ø F4-45	53-5Ø F4-45	63-5Ø F4-45
U V	20" (50cm)	9.25"	4.00"	33C5Ø F4-5Ø	53C5Ø F4-5Ø	63C5Ø F4-5Ø	13-ØØ F4-5Ø	33-5Ø F4-5Ø	53-5Ø F4-5Ø	63-5Ø F4-5Ø
V	22" (55cm)	9.25"	4.00"	33C51 F4-55	53C51 F4-55	63C51 F4-55	13-Ø1 F4-55	33-51 F4-55	53-51 F4-55	63-51 F4-55
	24" (60cm)	9.25"	3.75"	33C51 F4-6Ø	53C51 F4-6Ø	63C51 F4-6Ø	13-Ø1 F4-6Ø	33-51 F4-6Ø	53-51 F4-6Ø	63-51 F4-6Ø
	26" (65cm)	9.00"	3.75"	33C51 F4-65	53C51 F4-65	63C51 F4-65	13-Ø1 F4-65	33-51 F4-65	53-51 F4-65	63-51 F4-65
	28" (70cm)	*	*	*	*	*	*	*	*	*

V = V-Band Garter available see Section 1.1E p.03

U = Also available in Knee Disarticulation. Stock # changes to 33C53 or 53C53 or 13-03

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

SIZE 4 Yellow Design

	LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag — Cott 3-PLY Ensemble STOCK#	Cott 5-PLY Ensemble STOCK#	6-PLY Ensemble STOCK#	DAWFLO Sheath Only STOCK#	DAWFLO Sock Only — Cott 3-PLY Sock Only STOCK#	Cott 5-PLY Sock Only STOCK#	6-PLY Sock Only STOCK#
V	8" (20cm)	10.25"	5.75"	33C5Ø F5-2Ø	53C5Ø F5-2Ø	63C5Ø F5-2Ø	13-ØØ F5-2Ø	33-50 F5-2Ø	53-5Ø F5-2Ø	63-50 F5-2Ø
V	10" (25cm)	10.25"	5.75"	33C5Ø F5-25	53C5Ø F5-25	63C5Ø F5-25	13-ØØ F5-25	33-50 F5-25	53-5Ø F5-25	63-50 F5-25
V	12" (30cm)	10.25"	5.75"	33C5Ø F5-3Ø	53C5Ø F5-3Ø	63C5Ø F5-3Ø	13-ØØ F5-3Ø	33-50 F5-3Ø	53-5Ø F5-3Ø	63-50 F5-3Ø
V	14" (35cm)	10.25"	5.75"	33C5Ø F5-35	53C5Ø F5-35	63C5Ø F5-35	13-ØØ F5-35	33-50 F5-35	53-5Ø F5-35	63-50 F5-35
U V	16" (40cm)	10.25"	5.75"	33C5Ø F5-4Ø	53C5Ø F5-4Ø	63C5Ø F5-4Ø	13-ØØ F5-4Ø	33-50 F5-4Ø	53-5Ø F5-4Ø	63-50 F5-4Ø
U V	18" (45cm)	10.25"	5.75"	33C5Ø F5-45	53C5Ø F5-45	63C5Ø F5-45	13-ØØ F5-45	33-50 F5-45	53-5Ø F5-45	63-50 F5-45
U V	20" (50cm)	10.25"	5.25"	33C5Ø F5-5Ø	53C5Ø F5-5Ø	63C5Ø F5-5Ø	13-ØØ F5-5Ø	33-50 F5-5Ø	53-5Ø F5-5Ø	63-5Ø F5-5Ø
V	22" (55cm)	10.25"	4.25"	33C51 F5-55	53C51 F5-55	63C51 F5-55	13-Ø1 F5-55	33-51 F5-55	53-51 F5-55	63-51 F5-55
	24" (60cm)	10.25"	4.00"	33C51 F5-6Ø	53C51 F5-6Ø	63C51 F5-6Ø	13-Ø1 F5-6Ø	33-51 F5-6Ø	53-51 F5-6Ø	63-51 F5-6Ø
	26" (65cm)	9.75"	3.75"	33C51 F5-65	53C51 F5-65	63C51 F5-65	13-Ø1 F5-65	33-51 F5-65	53-51 F5-65	63-51 F5-65
	28" (70cm)	*	*	*	*	*	*	*	*	*

V = V-Band Garter available see Section 1.1E p.03

U = Also available in Knee Disarticulation. Stock # changes to 33C53 or 53C53 or 13-03

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

DAWFLO™ SIZING CHART

Size 1 V-BAND GARTER Yellow Design 7" TOP-4" TOE-LYING FLAT			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	6.50"	4.00"	34C54 F2-2Ø	54C54 F2-2Ø	*	14-Ø4 F2-2Ø	34-54 F2-2Ø	54-54 F2-2Ø	*
10" (25cm)	6.25"	4.00"	34C54 F2-25	54C54 F2-25	*	14-Ø4 F2-25	34-54 F2-25	54-54 F2-25	*
12" (30cm)	6.50"	4.50"	34C54 F2-3Ø	54C54 F2-3Ø	*	14-Ø4 F2-3Ø	34-54 F2-3Ø	54-54 F2-3Ø	*
14" (35cm)	6.50"	4.00"	34C54 F2-35	54C54 F2-35	*	14-Ø4 F2-35	34-54 F2-35	54-54 F2-35	*
16" (40cm)	6.50"	3.25"	34C54 F2-4Ø	54C54 F2-4Ø	*	14-Ø4 F2-4Ø	34-54 F2-4Ø	54-54 F2-4Ø	*
18" (45cm)	6.50"	3.25"	34C54 F2-45	54C54 F2-45	*	14-Ø4 F2-45	34-54 F2-45	54-54 F2-45	*
20" (50cm)	6.50"	3.25"	34C54 F2-5Ø	54C54 F2-5Ø	*	14-Ø4 F2-5Ø	34-54 F2-5Ø	54-54 F2-5Ø	*

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

Size 2 V-BAND GARTER Yellow Design 8" TOP-5" TOE-LYING FLAT			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	7.50"	4.50"	34C54 F3-2Ø	54C54 F3-2Ø	*	14-Ø4 F3-2Ø	34-54 F3-2Ø	54-54 F3-2Ø	*
10" (25cm)	7.50"	4.50"	34C54 F3-25	54C54 F3-25	*	14-Ø4 F3-25	34-54 F3-25	54-54 F3-25	*
12" (30cm)	7.50"	4.50"	34C54 F3-3Ø	54C54 F3-3Ø	*	14-Ø4 F3-3Ø	34-54 F3-3Ø	54-54 F3-3Ø	*
14" (35cm)	7.50"	4.25"	34C54 F3-35	54C54 F3-35	*	14-Ø4 F3-35	34-54 F3-35	54-54 F3-35	*
16" (40cm)	7.50"	4.25"	34C54 F3-4Ø	54C54 F3-4Ø	*	14-Ø4 F3-4Ø	34-54 F3-4Ø	54-54 F3-4Ø	*
18" (45cm)	7.50"	4.00"	34C54 F3-45	54C54 F3-45	*	14-Ø4 F3-45	34-54 F3-45	54-54 F3-45	*
20" (50cm)	7.50"	3.75"	34C54 F3-5Ø	54C54 F3-5Ø	*	14-Ø4 F3-5Ø	34-54 F3-5Ø	54-54 F3-5Ø	*

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

DAWFLO™ SIZING CHART

Size 3 V-BAND GARTER Yellow Design 9" TOP-6" TOE-LYING FLAT			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	9.00"	5.00"	34C54 F4-2Ø	54C54 F4-2Ø	*	14-Ø4 F4-2Ø	34-54 F4-2Ø	54-54 F4-2Ø	*
10" (25cm)	9.00"	5.00"	34C54 F4-25	54C54 F4-25	*	14-Ø4 F4-25	34-54 F4-25	54-54 F4-25	*
12" (30cm)	9.00"	5.00"	34C54 F4-3Ø	54C54 F4-3Ø	*	14-Ø4 F4-3Ø	34-54 F4-3Ø	54-54 F4-3Ø	*
14" (35cm)	9.25"	5.00"	34C54 F4-35	54C54 F4-35	*	14-Ø4 F4-35	34-54 F4-35	54-54 F4-35	*
16" (40cm)	9.25"	5.00"	34C54 F4-4Ø	54C54 F4-4Ø	*	14-Ø4 F4-4Ø	34-54 F4-4Ø	54-54 F4-4Ø	*
18" (45cm)	9.25"	5.00"	34C54 F4-45	54C54 F4-45	*	14-Ø4 F4-45	34-54 F4-45	54-54 F4-45	*
20" (50cm)	9.25"	4.00"	34C54 F4-5Ø	54C54 F4-5Ø	*	14-Ø4 F4-5Ø	34-54 F4-5Ø	54-54 F4-5Ø	*

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

Size 3 V-BAND GARTER Yellow Design 10" TOP-5" TOE-LYING FLAT			DAWFLO System™ Includes: DAWFLO Sheath, DAWFLO Sock, and Washing Bag			DAWFLO Sheath Only	DAWFLO Sock Only		
			Cott 3-PLY Ensemble	Cott 5-PLY Ensemble	6-PLY Ensemble		Cott 3-PLY Sock Only	Cott 5-PLY Sock Only	6-PLY Sock Only
LENGTH	TOP WIDTH LYING FLAT	TOE WIDTH LYING FLAT	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#
8" (20cm)	10.25"	5.75"	34C54 F5-2Ø	54C54 F5-2Ø	*	14-Ø4 F5-2Ø	34-54 F5-2Ø	54-54 F5-2Ø	*
10" (25cm)	10.25"	5.75"	34C54 F5-25	54C54 F5-25	*	14-Ø4 F5-25	34-54 F5-25	54-54 F5-25	*
12" (30cm)	10.25"	5.75"	34C54 F5-3Ø	54C54 F5-3Ø	*	14-Ø4 F5-3Ø	34-54 F5-3Ø	54-54 F5-3Ø	*
14" (35cm)	10.25"	5.75"	34C54 F5-35	54C54 F5-35	*	14-Ø4 F5-35	34-54 F5-35	54-54 F5-35	*
16" (40cm)	10.25"	5.75"	34C54 F5-4Ø	54C54 F5-4Ø	*	14-Ø4 F5-4Ø	34-54 F5-4Ø	54-54 F5-4Ø	*
18" (45cm)	10.25"	5.75"	34C54 F5-45	54C54 F5-45	*	14-Ø4 F5-45	34-54 F5-45	54-54 F5-45	*
20" (50cm)	10.25"	5.25"	34C54 F5-5Ø	54C54 F5-5Ø	*	14-Ø4 F5-5Ø	34-54 F5-5Ø	54-54 F5-5Ø	*

Cott = Also available in 100% Cotton. Stock numbers change to: 30C90, 53-90, etc. Price is 10% less.

* = **Special Order** – *Non-Returnable Item.*

Remember to look for…

This seal of excellence is earned only by very select items. Although all **DAW** products meet the highest standard of quality, the "Signature of Excellence" items address themselves to the select patients who demand the best of the best.

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAW® SUCTION SOCKET SHEATH

Claim to fame

- Protects the soft tissues of the brim area, especially in the medial aspect of the residual limb
- Reduces or eliminates irritation, bruising and abrasions
- Facilitates the proper donning of the prosthesis

DAW provides a solution even for the **suction socket** wearer who has a friction/abrasion problem in the proximal medial area of the residual limb. This exclusive design will not impair suction when properly fitted.

HOW TO DETERMINE THE RIGHT SIZE, *TWO EASY STEPS:*

1. Measure the external circumference of the proximal socket brim follow the diagonal, lateral to medial **(Measure the socket not the limb).**
2. Read the corresponding size on the following chart.

Circumference	12 ¾ in to 15 ¾ in (33 to 40 cm)	15 ⅞ in to 19 ¾ in (41 to 50 cm)	19 ⅞ in to 23 ⅝ in (51 to 60 cm)	23 ¾ in to 27 ⅝ in (61 to 70 cm)	27 ¾ in to 32 in (71 to 81 cm)
Size	F2	F3	F4	F5	F6

HOW TO ORDER

Stock #: 14-Ø7 Fx

x = Size based on the chart above

DAW® INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

4 EASY STEPS FOR PROPERLY FITTING THE DAW SUCTION SOCKET SHEATH



1 Apply the self adhesive foam strip around the socket brim, externally, and following the contour of the brim (approximately 1 ½ inches below the top of the socket).



2 Fold the prosthetic sheath over the socket brim of the prosthesis so that the elastic band is below the self-adhesive foam strip. Tie the string on the lateral side. Tuck the knot under the elastic band.



3 Insert the residual limb in the socket in the usual manner with the DAW Slipper™, the DAW EZ-IN™, or a pull sock.



4 Should the suction not be secure, the sheath is too far down in the socket. To avoid this, go back to step 1 and move the self-adhesive foam strip further down.

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

SUCTION AK DONNING DEVICES



SECTION 1.3

Be a hero
to your patients,
fit DAW Suction Sheath
on Suction Sockets
(See page "Section 1.2, p.06a")

SECTION	PAGES
1.3 EZ IN ™	01
1.3 DAW Slipper ™	02

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

every time

SLIP INTO YOUR SUCTION SOCKET

SMOOTHLY, NATURALLY



(No Talcum, Cream or Liquid Necessary)

- Avoid tissue misplacement, the common curse of traditional donning methods.
- Eliminate tissue damage and skin irritation.
- Ensure ideal donning and perfect positioning in the suction socket every time.

The ideal solution for the Above-Knee Suction Socket Wearer. Any other means of donning a properly fitted AK socket encourages misplacement of tissues.

The **E.Z. IN**'s material is so slippery it will convince every patient that donning a tight AK Socket is not a big deal!

Be A Hero, Give Your AK Wearers Their First

Each E.Z. IN comes in a convenient pocket pouch.

HOW TO ORDER

Stock #: GEZIN-x

x = size (Please Refer to Chart on Back)

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

E.Z. IN

1

2a



Insert hand into the open end at the bottom.

2b



3



For short Residual Limbs only

4



5



HOW TO ORDER

ISCHIAL CIRCUMFERENCE	Under 19 in (48 cm)	19 to 23 in (48 to 58 cm)	23 to 27 in (58 to 69 cm)	27 to 31 in (69 to 79 cm)
SIZE	Small	Medium	Large	Extra Large
STOCK #	GEZIN-S	GEZIN-M	GEZIN-L	GEZIN-XL

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.



DAWSLIPPER

"THE TUG OF WAR IS OVER"

CLAIM TO FAME

- Slip into your suction socket smoothly and naturally.
- Avoid tissue misplacement, the common curse of traditional donning methods.
- Eliminate tissue damage and skin irritation.
- Ensure ideal donning and perfect positioning in the suction socket every time.
- The ultimate complement to state-of-the-art comfort with OPTIFlex2TM flexible sockets.

The ideal solution for the Above-Knee Suction Socket Wearer. Any other means of donning a properly fitting AK socket encourages misplacement of tissues. This method seems to resemble the traditional "pull-sock" technique which involved strong hand pulling. The DAWSlipper's material is extremely slippery and therefore slides over itself. The donning MUST BE done WITHOUT weight bearing, the limb will slip into place effortlessly.

* DAWSlipper is a DAW INDUSTRIES copyrighted trademark.

HOW TO ORDER

Stock #: **D-1Ø7-6FX**

x = size *(Please Refer to Chart on Back)*

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAWSLIPPER

"THE TUG OF WAR IS OVER"

1

Measure the circumference of the residual limb at the ischial level. Select correct size from chart below.



2

Don the ***DAWSlipper*** on the residual limb the way you would with a DAW prosthetic sock.



3

Fold the top of the ***DAWSlipper*** over itself *(approx. 4" down)*.

The "slip-off" string must be on the outside of the ***DAWSlipper.***



4

Feed the "slip-off" string through the valve hole.

5

Slip down residual limb into the socket – This will happen smoothly due to the very slick nature of the ***DAWSlipper.*** The tissue contained by the ***DAWSlipper*** will slide in easily. As the limb slides in, the ***DAWSlipper*** slides over itself and off the limb via the valve hole.



Gently pull down – No tugging

Important: Do not weight bear during this procedure.

HOW TO ORDER

ISCHIAL CIRCUMFERENCE	10 to 12¾ in (25 to 32cm)	12¾ to 15¾ in (32 to 40cm)	15⅞ to 19¾ in (41 to 50cm)	18⅞ to 23⅝ in (51 to 60cm)	23¾ to 27⅝ in (61 to 70cm)
SIZE	F1	F2	F3	F4	F5
Stock # 6 (Package of 6)	D-1Ø7-6 F1	D-1Ø7-6 F2	D-1Ø7-6 F3	D-1Ø7-6 F4	D-1Ø7-6 F5
Assorted Kit: D1Ø7-6 K	Qty. 1, size F2 +	Qty. 2, size F3 +	Qty. 2, size F4 +	Qty. 1, size F5	

The most common sizes are F3 and F4. Due to the material soft elasticity in length, one length fits all.

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

Remember to look for…

This seal of excellence is earned only by very select items. Although all **DAW** products meet the highest standard of quality, the "Signature of Excellence" items address themselves to the select patients who demand the best of the best.

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAW EDEMA REDUCING SYSTEM



SECTION 1.4

SECTION	PAGES
1.4 DAW Edema Reducing System ™	01
• **1.4A DAWReducers ™**	02
• AK DAWReducers ™	02
• BK DAWReducers ™	02
• **1.4B DAW'NER ™**	02

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

BK Edema Reduction Mid-Thigh, use BK-DAWReducer

(See page "Section 1.4A p.04")

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

AK

DAWREDUCER™ with WAIST BELT

PERFECT AK EDEMA REDUCTION IS KIND TO THE STITCHES!

L-CODE : L846Ø – Prosthetic Shrinker, AK

CLAIM TO FAME

- An efficient and reliable method of reducing residual limb edema for AK extremity amputees.
- Guarantees, day after day, the optimum edema reduction.
- Eliminates the risk of improper bandaging.
- Supercedes and makes obsolete all other "stump shrinker" methods.
- Easily adjustable Suspension Belt included to prevent slippage.
- Very thin, yet very strong elastic material allows for custom modification.

The **DAW*REDUCER*** is easy to use even for arthritic hands. The contour-weave prevents medial chafing and abrasion problems. It always provides the right compression when properly fitted. Its special lining prevents downward slippage.

HOW TO ORDER

Stock #: **SSS-1AK-x**

x = size *(Please Refer to Chart on Back)*

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

HOW TO DETERMINE THE RIGHT SIZE:

AK

DAWREDUCER™ SIZING

ABOVE KNEE

Take the circumference of the thigh (in inches) 2" below the ischial level – Find corresponding size on chart below:



SIZE	2	3	4	5	6
AK THIGH circumference 2" below ischial level	15 in	17 in	19 in	21 in	24 in

See DAW'NER in Section 1.4B p.01

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

BK DAWREDUCER™ with WAIST BELT

PERFECT BK EDEMA REDUCTION SHOULD NOT STOP AT THE KNEE!

CLAIM TO FAME

- An efficient and reliable method of reducing residual limb edema for BK extremity amputees.
- The only BK reducer going all the way up the thigh.
- Guarantees, day after day, the optimum edema reduction.
- Eliminates the risk of improper bandaging.
- Supercedes and makes obsolete all other "stump shrinker" methods.
- Easily adjustable Suspension Belt included to prevent slippage.
- Very thin, yet very strong elastic material allows for custom modification.

L-CODE: L844Ø + L5688

Better Care, Better L-Codes:
L844Ø Prosthetic Shrinker, BK
+
L5688 BK Waist Belt

The **DAW*REDUCER*** is easy to use even for arthritic hands. The contour-weave prevents medial chafing and abrasion problems. It always provides the right compression when properly fitted. It's special lining prevents downward slippage.

HIGHLY RECOMMENDED DAWREDUCER™

Stock #: **SSS-1BK-x**

HOW TO ORDER

x = size *(Please Refer to Chart on Back)*

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

HOW TO DETERMINE THE RIGHT SIZE:

BK

DAWREDUCER™ SIZING

BELOW KNEE

1) Take the circumference of the calf, (or the greatest circumference of the residual limb taken below the knee). **THIS IS THE PRIMARY MEASUREMENT.**

2) For proper gradient pressure, verify that there will not be constriction on the thigh by making sure the thigh measurement (2" below ischial level) is within the acceptable range (in the chart below) for the selected calf measurement. If not, see "Custom designing" below.

Optional: Custom designing the DAW*REDUCER*

a) Lay down flat the smaller of the two **DAW*REDUCERS*** (the patient's thigh measurement is larger than the acceptable range in the chart below).
b) Lay down the **DAW*REDUCER*** that is the next size up (the patient's thigh measurement is within the acceptable range in the chart below) on top of the smaller reducer.
c) Sew the bottom of the larger one in the shape of the smaller one. You now have created a custom **DAW*REDUCER*** with proper gradient pressure.



SIZE	2	3	4	5	6
BK PRIMARY MEASUREMENT **CALF** or greatest circumference below knee	13 in (33cm)	14 ½ in (36cm)	15 ½ in (39cm)	16 ½ in (42cm)	17 ¾ in (45cm)
THIGH circumference 2" below ischial level	18 in to 22 ¾ in (46 to 58cm)	19 ½ in to 24 ¼ in (50 to 62cm)	21 ¼ in to 26 ¼ in (54 to 67cm)	22 ¾ in to 27 ½ in (58 to 70cm)	24 ½ in to 29 ¼ in (62 to 74cm)

See DAW'NER in Section 1.4B p.01

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAW'NER™ EDEMA REDUCER

ULTIMATE CARE NON-STOP

CLAIM TO FAME

- No pulling of scarred tissues.
- Guarantees proper gradient pressure time after time.
- Eliminates the need of nightly "rebandaging".
- Easy to use for arthritic hands.
- Two sizes fit all AK's and BK's.

HIGHLY RECOMMENDED DAWREDUCER™

The **DAW'NER** is the indispensable tool to apply the **DAW*REDUCER*** without disturbing the sensitive tissues of the new Amputee – By prestretching the Edema Reducer over the **DAW'NER**. The Residual Limb is introduced into the **DAW'NER** and the Edema Reducer softly slides into place without stretching or pulling the patient's tissues.

HOW TO ORDER

Stock #:
Small
SSD-L
5" DIAMETER

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

DAW'NER APPLICATION:

1

Insert **DAW*REDUCER*** inside **DAW'NER.**



2

With both hands stretch **DAW*REDUCER*** over upper edge of **DAW'NER.**

3

Pull **DAW*REDUCER*** down until the end is tight across top of **DAW'NER.**



4

Place residual limb in **DAW'NER.** Make sure suspension strap is on lateral side of leg.



5

Pull **DAW'NER** upward allowing Edema Reducer to slide onto leg.



6

Remove **DAW'NER** and adjust suspension strap around waist.



ULTIMATE CARE – NON-STOP:

DAW is proud to provide you with the ultimate edema reduction system, designed specifically to prepare your limb for the best prosthetic care.

IMPORTANT: This DAW'NER and **DAW*REDUCER*** must be prescribed and fitted by a Certified Prosthetist.

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.

Remember to look for…

This seal of excellence is earned only by very select items. Although all **DAW** products meet the highest standard of quality, the "Signature of Excellence" items address themselves to the select patients who demand the best of the best.

DAW INDUSTRIES

© Copyright 2015, DAW Industries, San Diego, CA. All Rights Reserved.