
































































































































# CHILDREN SYSTEM

Maximum Child Weight: 100lb (45 kg)

		Stock Number						
		<b>GUPC-FB</b>	<b>F</b>			<b>3 7/8 oz</b> (112 g)	<b>1 3/16 in</b> (3 cm)	<b>N/A</b>
		Stock Number						
		<b>GUPAC-MLAM</b>	<b>A</b>			<b>1 1/4 oz</b> (38 g)	<b>3/8 in</b> (0.9 cm)	<b>A</b>
		Stock Number						
		<b>GUPAC-F4H</b>	<b>A</b>			<b>1 1/2 oz</b> (42 g)	<b>3/4 in</b> (2 cm)	<b>A</b>
		Stock Number						
		<b>GUPAC-MP1</b>	<b>A S</b>			<b>1 1/4 oz</b> (36 g)	<b>5/8 in</b> (2 cm)	<b>A</b>
		Stock Number						
		<b>GUPAC-FCLAMPANG</b>	<b>A</b>			<b>1 3/4 oz</b> (50 g)	<b>2 1/8 in</b> (5.3 cm)	<b>A R</b>
		Stock Number						
		<b>GUPAC-FCLAMP</b>	<b>A</b>			<b>1 5/8 oz</b> (48 g)	<b>2 3/16 in</b> (5.5 cm)	<b>A R</b>
		Stock Number						
		<b>GUPAC-MCLAMP</b>	<b>A</b>			<b>1 3/4 oz</b> (50 g)	<b>1 3/16 in</b> (3 cm)	<b>A R</b>
		Stock Number						
		<b>GUPAC-SACH-8M</b>	<b>A</b>		<b>8mm Foot Bolt</b>	<b>2 3/8 oz</b> (68 g)	<b>3/4 in</b> (3 cm)	<b>A</b>
		Stock Number						
		<b>TTC-12</b>	<b>A</b>			<b>4 oz</b> (114 g)	<b>12 in</b> (30 cm)	<b>R</b>
		<b>TTC-15</b>				<b>5 oz</b> (144 g)	<b>15 in</b> (38 cm)	
		Stock Number						
		<b>GUPAC-FPYLON-13</b>	<b>A</b>			<b>6 1/4 oz</b> (180 g)	<b>13 in</b> (33 cm)	<b>A</b>

## SYMBOL LEGEND™

Material		Alignable	ATTACHMENT METHOD				Dimensions			Maximum Patient Weight			
			Top	Bottom									
<b>A</b> = Aluminum Alloy	<b>P</b> = Plastic												
<b>AA</b> = Aerospace Aluminum	<b>S</b> = Stainless												
<b>F</b> = Foam	<b>T</b> = Titanium												
<b>G</b> = Graph-Lite™	<b>W</b> = Wood												



**DAW**  
INDUSTRIES



# THERMOPLASTIC SOCKET INSERTS



Stock Number								
<b>TSC-T</b>	AA	Therm	4	UNTHREADED (6mm)	2 1/2 oz (74 g)	9/32 in (7 mm)	H	N/A

## CONNECTORS WITH EURO 4-HOLE PATTERN

### Male Pyramid



Stock Number								
<b>GUPT-M4H</b>	T	Therm	4	UNTHREADED (6mm)	1 7/8 oz (52 g)	1/2 in (1.2 cm)	●	A



Stock Number								
<b>TGP-M4</b>	G	Therm	4	UNTHREADED (6mm)	3 oz (86 g)	1 in (2.4 cm)	H	A

### Female Pyramid



Stock Number								
<b>GUPT-F4H</b>	T	Therm	4	UNTHREADED (6mm)	2 1/8 oz (62 g)	5/8 in (1.6 cm)	●	A



Stock Number								
<b>TGP-F4</b>	G	Therm	4	UNTHREADED (6mm)	2 5/8 oz (76 g)	3/4 in (1.8 cm)	H	A

### Female Pyramid with Rotation



Stock Number								
<b>GUPT-F4HROT</b>	T	Therm	4	UNTHREADED (6mm)	2 7/8 oz (84 g)	5/8 in (1.6 cm)	●	A R

### SYMBOL LEGEND™

		<b>ATTACHMENT METHOD</b>						
A = Aluminum Alloy AA = Aerospace Aluminum F = Foam G = Graph-Lite™	P = Plastic S = Stainless T = Titanium W = Wood	A = Angular Adj. R = Rotation S = Slide Adjust	● = 1 Center Hole ⊕ = Euro 4-Hole ⌀ 30mm = 30mm Pylon	Clamp Male Pyr. Female Pyr. Thermoplastic	Lamination Adhesive Bolt Size	Ht. = Ht. Wt. = Wt. Dia. = Dia. Applied Ht. or Thickness	● = 80 lb (36 kg) ● = 120 lb (54 kg) ● = 165 lb (75 kg) ● = 200 lb (90 kg)	● = 220 lb (100 kg) ● = 243 lb (110 kg) ● = 250 lb (113 kg) ● = high activity



**DAW**  
INDUSTRIES



# CONNECTORS WITH PYLON CLAMP

## Male Pyramid



Stock Number								
<b>GUPT-MCLAMP</b>	T				<b>2 1/4 oz</b> (66 g)	<b>1 3/4 in</b> (4.4 cm)		A R

## Female Pyramid



Stock Number								
<b>GUPT-FCLAMP</b>	T				<b>2 3/8 oz</b> (70 g)	<b>1 13/16 in</b> (4.7 cm)		A R

## Female/Female Pyramid



Stock Number								
<b>GUPT-FF-32M</b>	T				<b>3 1/4 oz</b> (92 g)	<b>1 1/4 in</b> (3.2 cm)		A



Stock Number								
<b>GUPT-FF-45M</b>	T				<b>4 1/4 oz</b> (121 g)	<b>1 3/4 in</b> (4.5 cm)		A



Stock Number								
<b>GUPT-FF-60M</b>	T				<b>3 7/8 oz</b> (110 g)	<b>2 3/8 in</b> (6 cm)		A



Stock Number								
<b>GUPT-FF-75M</b>	T				<b>6 1/2 oz</b> (184 g)	<b>3 in</b> (7.6 cm)		A

### SYMBOL LEGEND™

Material		Alignable	ATTACHMENT METHOD				Dimensions	Maximum Patient Weight
A = Aluminum Alloy AA = Aerospace Aluminum F = Foam G = Graph-Lite™	P = Plastic S = Stainless T = Titanium W = Wood	⊕ = Angular Adj. ⊖ = Rotation ⊗ = Slide Adjust	⊙ = 1 Center Hole ⊕ = Euro 4-Hole					
							80 lb (36 kg) = 220 lb (100 kg) 120 lb (54 kg) = 243 lb (110 kg) 165 lb (75 kg) = 250 lb (113 kg) 200 lb (90 kg) = high activity	



**DAW**  
INDUSTRIES




# ADULT PYLONS

## Standard Pylons



Stock Number							
<b>GUPG-PYLON-8</b>	G			<b>1 7/8 oz</b> (54 g)		<b>8 in</b> (20 cm)	
<b>GUPG-PYLON-16</b>	G			<b>3 3/4 oz</b> (108 g)		<b>16 in</b> (40 cm)	
<b>TTG-14</b>	G			<b>4 1/2 oz</b>		<b>14 in</b> (40 cm)	



Stock Number							
<b>TTG-17</b>	T			<b>8 3/4 oz</b> (250 g)		<b>17 in</b> (43 cm)	

## Pylons with Female Pyramid



Stock Number							
<b>GUPT-FPYLON-8</b>	T			<b>5 1/8 oz</b> (145 g)		<b>8 in</b> (20 cm)	
<b>GUPT-FPYLON-17</b>				<b>8 5/8 oz</b> (245 g)		<b>12 in</b> (31 cm)	



Stock Number							
<b>GUPG-FPYLON-8</b>	G T			<b>3 7/8 oz</b> (145 g)		<b>8 in</b> (20 cm)	
<b>GUPG-FPYLON-17</b>				<b>6 1/4 oz</b> (177g)		<b>17 in</b> (43 cm)	



Stock Number							
<b>GUPA-FPYLON-8</b>	A			<b>5 5/8 oz</b> (145 g)		<b>8 in</b> (20 cm)	
<b>GUPA-FPYLON-17</b>				<b>9 1/2 oz</b> (177g)		<b>12 in</b> (31 cm)	

### SYMBOL LEGEND™

Material		Attachment Method		Dimensions		Maximum Patient Weight	
<b>A</b> = Aluminum Alloy	<b>P</b> = Plastic			<b>Ht.</b> = Height	<b>Wt.</b> = Weight		
<b>AA</b> = Aerospace Aluminum	<b>S</b> = Stainless			<b>Di.</b> = Diameter	<b>Th.</b> = Thickness		
<b>F</b> = Foam	<b>T</b> = Titanium			<b>Appl. Ht.</b> = Applied Height or Thickness	<b>Circ.</b> = Circumference		
<b>G</b> = Graph-Lite™	<b>W</b> = Wood						
<b>A</b> = Angular Adj.							
<b>R</b> = Rotation							
<b>S</b> = Slide Adjust							



**DAW INDUSTRIES**



# PYRAMID ANKLES


## Multi-Axis Ankle

Can be used with any SACH Foot or DynaStep™



Stock Number							
TAJ-MPYRNUT <sub>XXX</sub> *				<b>11 1/8 oz</b> (318 g)	<b>2 5/8 in</b> (6.2 cm)		
TAJ-MPYRØ02 <sub>XXX</sub> *				<b>10 7/8 oz</b> (312 g)			

\* Patients up to 130 lbs (60 kg) xxx = Ø60  
 " " " 175 lbs (80 kg) xxx = Ø80  
 " " " 220 lbs (100 kg) xxx = 100



Stock Number							
TGP-OM			<b>incl.</b>	<b>8 3/8 oz</b> (252 g)	<b>2 7/8 in</b> (6.6 cm)		

(Must be used with foot TFF-Ø1xxL/R)  
 xx = size

## SACH Ankle with 10mm Foot Bolt



Stock Number							
GUPT-SACH1ØM			<b>10 mm</b> incl.	<b>2 1/2 oz</b> (72 g)	<b>1 in</b> (2.5 cm)		
GUPA-SACH1ØM			<b>10 mm</b> incl.	<b>2 7/8 oz</b> (82 g)	<b>1 in</b> (2.5 cm)		

## SACH Ankle with 8mm Foot Bolt



Stock Number							
GUPT-SACH8M			<b>8 mm</b> incl.	<b>2 1/8 oz</b> (72 g)	<b>7/8 in</b> (2.2 cm)		

### SYMBOL LEGEND™

Material		Attachment Method		Dimensions		Maximum Patient Weight	
<b>A</b> = Aluminum Alloy	<b>P</b> = Plastic			<b>l</b> = Ht.	<b>Wt.</b> = Wt.	<b>Ø</b> = Dia.	
<b>AA</b> = Aerospace Aluminum	<b>S</b> = Stainless			<b>l</b> = Applied Ht. or Thickness			
<b>F</b> = Foam	<b>T</b> = Titanium						
<b>G</b> = Graph-Lite™	<b>W</b> = Wood						



**DAW INDUSTRIES**

